

Access Fitting Product Catalog



Mithril Corrosion Control Products

Access Fitting

Access fittings are critical for enabling capture of essential corrosion data. After being attached to the pipelines through welding or flanging, those highly adaptable fittings act as conduits, allowing monitoring tools to be safely exposed to the process stream.

Mithril manufactures those versatile fittings in various mounting configurations, providing the user with the required flexibility to select the desired location based on type of monitoring.

Features:

- Manufactured from 1018 hot rolled carbon steel alloys
- Maximum working pressure up to 6000 PSI
- Available in 4 mounting configurations: Flare weld, Butt-weld, Socket weld, and NPT threaded
- No welds in the fitting body
- Adjustments to dimensions are available upon request



Fig.1 Flareweld Access Fitting

Part Number	Dimensions	Material
CC-12000	Standard NPT thread- upon request	1018 Carbon Steel

Reach out to [Mithril](http://www.mithril-eg.com) at www.mithril-eg.com for additional information.

About the Company



Mithril is an Egyptian startup committed to delivering tailored solutions that precisely fit our customers' needs in the Energy industry. We embrace innovation as a cornerstone that drives our search for solutions and the creation of our products.

Contacts



NAME

CONTACT INFORMATION

Ahmed Sherif

+201225499935

Customer Support Manager

Support@mithril-eg.com

